



Direct Vent Fireplace Systems

**Martin**   
HEARTH & HEATING

## Direct Vent Fireplace Systems

### CDV SERIES

Installing a direct vent fireplace from Martin Hearth & Heating is a great way to include elegance and warmth in just about any room in your home. Available in two sizes, the CDV direct vent fireplaces offer either 486 or 591 square inches of viewing area and a range of BTU's from 18,000 to 20,000. With a dedicated top or rear vent design and a number of optional accessories, our CDV fireplaces are the perfect choice for anywhere a warm gathering spot is required.



CDV36 direct vent fireplace system



400DVB with black texture Manor surround, rectangular front and Federal doors

Give people a place to gather – make fire the focal point of your room again with the Direct Vent series of fireplaces from Martin Hearth & Heating.



500DVB with Brushed Pewter arched front, black door frame and black fire screen doors



500DVB with curved Brass trim

## Direct Vent Fireplace Systems

### DVB SERIES

Not only does a fireplace make a beautiful addition to your home, but a direct vent fireplace from Martin Hearth & Heating is an excellent way to heat rooms that seem to remain cold and damp without heating up your entire house. The DVB series of fireplaces offers a classic fireplace design in a range of sizes. Enjoy the flickering flames with viewing areas from 486 to 795 square inches and the warmth of BTU's ranging from 15,000 right up to 26,000. Operating your DVB fireplace is simple with an illustrated deluxe control panel. All DVB fireplaces come with standard black louvers but choose from a range of optional accessories and finishes to give your Martin Hearth & Heating DVB direct vent fireplace a custom look that fits seamlessly into your décor.

## Direct Vent Fireplace System

### SOLITAIRE SERIES (DVBL)

As seen on the front cover, the Solitaire DVBL direct vent fireplace from Martin Hearth & Heating offers a new contemporary clean-faced design with no louvers – providing an expansive viewing area. With a variety of firebrick options and two sizes to choose from, the Solitaire is an exciting addition to the Martin direct vent fireplace systems family.



500DVBL direct vent fireplace system



500DVBL direct vent fireplace system



400DVBL direct vent fireplace system



STDVD See-Through direct vent fireplace system

## Direct Vent Fireplace Systems

### DESIGNER SERIES

In today's contemporary homes, fireplaces are showing up in all sorts of exciting places such as bathrooms, bedrooms and even as room dividers! Our direct vent Designer Series from Martin Hearth & Heating gives you exciting décor options and interesting design applications with Peninsula, See-Thru and Left or Right Corner styles. Plus, with standard Cottage Clay firebrick, louver options and up to 36,000 BTU's, form and function work together to give you an exceptional fireplace performance.



CRDVD Corner direct vent fireplace system

PFDVD Peninsula direct vent fireplace system

### STANDARD FEATURES:

- Glowing ceramic fiber logs featuring a patented Natural Flame aluminized pan burner with random dancing flames and large ember bed
- Millivolt with on/off switch and variable flame height control or electronic ignition in natural gas or propane gas
- Natural or propane field convertible
- Flexible connector with On/Off valve included
- Approved for installation with Simpson Dura Vent, Selkirk Metalbestos or Metal Fab Direct Vent Chimney
- Includes 15' of preinstalled millivolt wire with wall switch and cover
- Junction box included for electrical hook up

### CDV:

- Removable unitized black louver assembly for ease of installation
- Available in dedicated rear or top vent units
- Available in two sizes: 33" or 36"

### DVB:

- Removable unitized black louver assembly for ease of installation
- Consumer friendly deluxe control panel with easy lift off access for blower installation
- Patented field convertible vent technology for venting horizontally or vertically
- Available in four sizes 33," 36," 42," 47"
- Optional firebrick and faces available

### DVBL:

- Contemporary clean face design for full glass appearance
- Available in dedicated top vent units only
- Two sizes to fit your décor: 36" & 42"

### DESIGNER FIREPLACES:

- Full size 36" hearth opening with large viewing area
- Patented field convertible vent technology for venting horizontally or vertically
- Available in four distinctive styles: See-Thru, Peninsula, Left and Right Corner units
- Standard Tavern Brown firebrick

### Optional Accessories

- Decorative black mesh screen cover
- CDV available with Cottage Clay firebrick
- DVB available with Tavern Brown, Cottage Red or Olde English firebrick
- DVBL available with Tavern Brown, Cottage Red or Olde English firebrick
- BLOT variable thermostat forced air blower for CDV, DVB and Designer units
- BLOTSDV variable thermostat dual blower for DVBL units
- Classic and Manor faces available for CDV, DVB and Designer See-Thru fireplaces
- Corner or wall cabinets for CDV, DVB and Designer Peninsula fireplaces
- Andirons for DVBL
- Multi-functional Ambient Technologies® remote controls available for all units
- DVBL available with millivolt with on/off switch and variable flame height control or Signature Command™ System in natural gas or propane gas



Variable thermostat controlled dual forced air blower (160 cfm each)



Variable forced air blower (135 cfm)



Forged andirons



Deluxe control panel



Pewter louvers



Brass louvers



Medium Pewter trim




Medium Brass trim

Medium Black trim




See our Ambient Technologies® catalog for a complete line of remotes and thermostats.



Tavern Brown firebrick



Cottage Red firebrick



Olde English firebrick

## Direct Vent Fireplace Systems

Model	CDVR33	CDVT33	CDVR36	CDVT36
BTU / HR	10,000 - 18,000 NG / 10,000 - 18,000 LP	10,000 - 18,000 NG / 10,000 - 18,000 LP	15,000 - 20,000 NG / 15,000 - 20,000 LP	15,000 - 20,000 NG / 15,000 - 20,000 LP
FE Ratings (Cdn. Fireplace Efficiency)	62.6% NG / 64.3% LP	45.9% NG / 53% LP	47.7% NG / 53.6% LP	47.7% NG / 56.1% LP
Thermal Efficiency	Up to 80%	Up to 80%	Up to 80%	Up to 80%
Dimensions (Actual)	33" W x 31 11/16" H x 13 11/16" D	33" W x 31 11/16" H x 13 11/16" D	37 1/16" W x 34 1/2" H x 15 3/4" D	37 1/16" W x 34 1/2" H x 15 3/4" D
Dimensions (Framing)	33 1/4" W x 35" H x 13 3/4" D	33 1/4" W x 35" H x 13 3/4" D	37 1/2" W x 38 1/8" H x 15 1/4" D	37 1/2" W x 38 1/8" H x 15 1/4" D
Viewing Area	18" H x 27" W (486sq.in.)	18" H x 27" W (486sq.in.)	20 3/8" H x 29" W (591sq.in.)	20 3/8" H x 29" W (591sq.in.)
Blower	Optional	Optional	Optional	Optional

Model	300DVB	400DVB	500DVB	600DVB
BTU / HR	15,000 - 21,000 NG / 15,000 - 21,000 LP	17,000 - 24,000 NG / 17,000 - 24,000 LP	20,000 - 26,000 NG / 20,000 - 26,000 LP	20,000 - 26,000 NG / 20,000 - 26,000 LP
FE Ratings (Cdn. Fireplace Efficiency)	61.8% NG / 55.7% LP	61.1% NG / 60.7% LP	61.3% NG / 60.8% LP	60.1% NG / 60.5% LP
Thermal Efficiency	Up to 80%	Up to 80%	Up to 80%	Up to 80%
Dimensions (Actual)	33 1/16" W x 37" H x 14" D	37 1/16" W x 40 1/2" H x 16" D	41 1/16" W x 40 1/2" H x 16" D	47 1/16" W x 40 1/2" H x 16" D
Dimensions (Framing)	33 1/2" W x 37 1/4" H x 14" D	37 1/2" W x 40 7/8" H x 16" D	41 1/2" W x 40 7/8" H x 16" D	47 1/2" W x 40 7/8" H x 16" D
Viewing Area	18" H x 27" W (486sq.in.)	20 3/8" H x 29" W (591sq.in.)	20 3/8" H x 33" W (672sq.in.)	20 3/8" H x 39" W (795sq.in.)
Blower	Optional	Optional	Optional	Optional

Model	400DVBL	500DVBL
BTU / HR	18,000 - 26,000 NG / 18,000 - 26,000 LP	20,000 - 28,000 NG / 20,000 - 28,000 LP
FE Ratings (Cdn. Fireplace Efficiency)	63.8% NG / 60.2% LP	61.1% NG / 64.9% LP
Thermal Efficiency	Up to 80%	Up to 80%
Dimensions (Actual)	37 1/16" W x 40 5/8" H x 17 9/16" D	41 1/16" W x 40 5/8" H x 17 9/16" D
Dimensions (Framing)	37 7/16" W x 40 7/8" H x 17 9/16" D	41 7/16" W x 40 7/8" H x 17 9/16" D
Viewing Area	26" H x 29" W (754sq.in.)	26" H x 33" W (858sq.in.)
Blower	Optional	Optional

Model	STDVD	PFDVD	C(R)/(L)DVD
BTU / HR	25,000 - 36,000 NG / 26,000 - 36,000 LP	25,000 - 36,000 NG / 26,000 - 36,000 LP	25,000 - 36,000 NG / 26,000 - 36,000 LP
FE Ratings (Cdn. Fireplace Efficiency)	65.1% NG / 73.4% LP	65.1% NG / 73.4% LP	65.1% NG / 73.4% LP
Thermal Efficiency	Up to 80%	Up to 80%	Up to 80%
Dimensions (Actual)	44" W x 40 15/16" H x 23 3/4" D	44" W x 40 15/16" H x 23 3/4" D	44" W x 40 15/16" H x 24 1/2" D
Dimensions (Framing)	44 1/4" W x 41 1/8" H x 22 3/4" D	43 1/2" W x 41 1/8" H x 22 3/4" D	43 1/2" W x 41 1/8" H x 24" D
Viewing Area	19 1/2" H x 32 1/4" W (629sq.in.)	19 1/2" H x 32 1/4" W (629sq.in.)	19 1/2" H x 32 1/4" W (629sq.in.)
Blower	Optional	Optional	Optional



# Martin

HEARTH & HEATING

A Brand of Monessen Hearth Systems Co.  
149 Cleveland Drive, Paris, Kentucky 40361  
[www.martinhearthandheating.com](http://www.martinhearthandheating.com)

Your Martin Dealer:

To avoid personal injury or property damage, the product described by this brochure must be installed, operated and maintained in strict compliance with the instructions packaged with the product and all applicable building or fire codes. Contact local building or fire officials about restrictions and installation inspection requirements. All photographs and drawings on this brochure are for illustrative purposes only and are not intended for, nor should they be used as a substitute for the instructions packaged with the unit. Appearance and specifications of the product are subject to change without notice. © 2008 Monessen Hearth Systems Co.



Vent Free Fireboxes

**Martin**   
HEARTH & HEATING

## Vent Free Fireboxes

The VF/R series of vent free fireboxes from Martin Hearth & Heating offers flexibility with 3 sizes - 32, 36 and 42 inches - and the option of circulating or radiant design to suit your requirements perfectly. Available with your choice of firebrick as well as a range of optional accessories, the VF/R--- series is easy to incorporate into your design requirements.



36MCUFD vent free firebox with optional fiber ceramic gas logs

Give people a place to gather - make fire the focal point of your room again with the Vent Free Fireboxes from Martin Hearth & Heating.



VFR36C-TB vent free firebox shown with optional Blazing Oak fiber ceramic gas logs.



## Vent Free Fireboxes

It's easy to incorporate the timeless elegance and satisfying warmth of fire into your home with the vent free firebox series from Martin Hearth & Heating. Our Magnum MCUF series is available in either 36 or 42 inch sizes with your choice of standard Tavern Brown or Herringbone firebrick. With radiant design and a wide variety of optional accessories, you can frame your fireplace right up to the firebox and finish it with a custom look.

For the look of a more traditional hearth, our Lo-Rider LCUF series is available in both 32 and 36 inch sizes. With its low profile hearth the firebox appears to nearly rest on the floor and it offers an extra large viewing area. Both the 32 and 36 sizes are shipped with standard Herringbone firebrick - so all you have to do is select your optional accessories to make these exceptional vent free fireboxes from Martin Hearth & Heating truly your own.



400BUF vent free firebox



500BUF vent free firebox

## 400BUF and 500BUF Vent Free Fireboxes

Our BUF line of vent free fireboxes from Martin Hearth & Heating offer a zero clearance design, allowing you to install next to wood, sheetrock or other construction materials. With a true 36 or 42 inch brick to brick opening, the 400BUF and 500BUF offer a truly expansive view of the flames. Shipped with standard refractory firebox liner and black facing, the BUF series is a versatile vent free option for any design application.

## Designer Vent Free Fireboxes

Our Martin Hearth & Heating vent free fireboxes also come in exciting designer styles that offer dynamic design applications. Available in See-Thru, Peninsula and Corner models, these sophisticated fireboxes add style and warmth to your rooms while maintaining a contemporary feel.



36PFG Peninsula vent free firebox shown with optional DST gas logs



36STFG See-Thru vent free firebox with optional Pewter louvers and DST gas logs

## STANDARD FEATURES:

- CSA design certified to fit most 18," 24," and 30" vent free log sets
- Zero clearance design for ease of installation
- Gas knock out available on left and right side of units
- No expensive flue, or hearth required making installation versatile
- Outside air kit option
- Standard curtain mesh screens for true fireplace appeal
- Standard junction box included for electrical hook up blower kit (except LCUF)

## BUF:

- Available with true 36" and 42" fireplace opening
- Shipped standard with refractory firebrick
- Radiant face design with heat circulating air ducts for optional blower
- Can be installed with non-combustible material up to the opening of fireplace for true masonry look

## VF/VFR:

- Available with true 32," 36," and 42" fireplace opening
- Can be ordered with black box interior, with standard Cottage Clay firebrick, or refractory firebrick
- Available in Radiant Face or Circulating Face designs
- Radiant design with heat circulating air ducts for optional blower
- Can be installed with non-combustible material up to the opening of fireplace for true masonry look

## MCUF Magnum:

- Available with true 36" and 42" fireplace opening
- Available with Cottage Clay firebrick or refractory Herringbone firebrick
- Radiant face design with heat circulating air ducts for optional blower
- Can be installed with non-combustible material up to the opening of fireplace for true masonry look

## LCUF Lo-Rider

- Available with true 32" and 46" fireplace opening
- Available with refractory Herringbone firebrick
- Tallest opening available for full view of fire
- Installs with base almost flush with finished hearth area
- Can be installed with non-combustible material up to the opening of fireplace for true masonry look

## Lo-Rider Designers

- Available in Peninsula, See-Thru and Left & Right Corner styles
- Available with refractory Herringbone firebrick
- Tallest opening available for full view of fire
- Radiant face design with heat circulating air ducts for optional blower
- Installs with base almost flush with finished hearth area opening of fireplace for true masonry look
- Can be installed with non-combustible material up to the opening of fireplace for true masonry look

## Optional Accessories

- FA2 blower option for BUF fireboxes
- AK4 outside air kit for all fireboxes
- BLOTMC blower option for VF/VFR and MCUF fireboxes
- Black radiant face kit for VF circulating models to convert to radiant models
- Curved Black, Brass, Pewter trim kits for VF/VFR/MCUF/LCUF fireboxes
- Medium Black, Brass, Pewter trim kits for VF fireboxes
- Optional Tavern Brown and Cottage Red firebrick for VF/VFR fireboxes
- Optional Polished Brass hoods for VF/VFR/MCUF/LCUF fireboxes
- Optional Classic and Manor faces available for VF/VFR/MCUF fireboxes
- Optional corner or wall cabinets for VF/VFR/MCUF/LCUF fireboxes



Classic faces available for VF/VFR/MCUF fireboxes



Manor faces available for VF/VFR/MCUF fireboxes



FA2 blower option for BUF fireboxes



Tavern Brown firebrick



Cottage Red firebrick



Medium Pewter trim

Medium Brass trim

Medium Black trim

## Vent Free Fireboxes

Model	400BUF	500BUF	
Actual Dimensions	40"W x 34"H x 21"D	46"W x 34"H x 21"D	
Framing Dimensions	40-1/2"W x 34-1/2"H x 20-1/2"D	46-1/2"W x 34-1/2"H x 20-1/2"D	
Viewing Area	21-1/2"H x 35-1/2"W (763SQ. IN.)	21-1/2"H x 41-1/2"W (892SQ. IN.)	
Minimum Hearth Area	35-1/2"W x 21-1/2"H x 17"D x 20-3/8"RW	41-1/2"W x 21-1/2"H x 17"D x 26-3/8"RW	
Blower	Optional	Optional	
Model	VF/R32/VF/R 32	VF/R36/VF/R36	VF/R42/VF/R42
Actual Dimensions	37"W x 34-1/2"H x 16"D	41"W x 34-1/2"H x 18"D	41"W x 37-3/8"H x 18"D
Framing Dimensions	37-1/4"W x 35"H x 15-1/2"D	41-1/4"W x 35"H x 17-1/2"D	47-1/4"W x 35"H x 17-1/2"D
Viewing Area	21-7/8"H x 29-7/8"W (653SQ. IN.)	21-7/8"H x 34"W (743SQ. IN.)	21-7/8"H x 40"W (875SQ. IN.)
Minimum Hearth Area	29-7/8"W x 21-7/8"H x 13-1/4"D x 23-3/8"RW	34"W x 21-7/8"H x 15-3/4"D x 27-3/8"RW	40"W x 21-7/8"H x 15-3/4"D x 33-3/8"RW
Blower	Optional	Optional	Optional
Model	36MCF	42MCF	
Actual Dimensions	47"W x 34-1/2"H x 18"D	41"W x 37-3/8"H x 18"D	
Framing Dimensions	41-1/4"W x 37-5/8"H x 17-3/4"D	47-1/4"W x 37-5/8"H x 17-3/4"D	
Viewing Area	25"H x 32-1/8"W (803SQ. IN.)	25"H x 38-1/8"W (803SQ. IN.)	
Minimum Hearth Area	32-1/8"W x 25"H x 14-3/4"D x 25-3/4"RW	38-1/8"W x 25"H x 14-3/4"D x 31-3/4"RW	
Blower	Optional	Optional	
Model	32LCUF	36LCUF	
Actual Dimensions	37"W x 34-3/8"H x 16"D	41"W x 37-3/8"H x 18"D	
Framing Dimensions	37-1/4"W x 34-5/8"H x 15-1/2"D	41-1/4"W x 37-5/8"H x 17-1/2"D	
Viewing Area	28"H x 28-5/8"W (801SQ. IN.)	30-1/4"H x 32-1/2"W (983SQ. IN.)	
Minimum Hearth Area	28-5/8"W x 28"H x 12-3/4"D x 26-3/8"RW	32-1/2"W x 30-1/4"H x 15"D x 25-7/8"RW	
Blower	Not Optional	Not Optional	
Model	GLSTF36	GLPF36	GL(R/L)CF36
Actual Dimensions	39-1/2"W x 37-3/4"H x 23-3/4"D	39-1/2"W x 37-3/4"H x 23-3/4"D	39-1/2"W x 37-3/4"H x 23-3/4"D
Framing Dimensions	40"W x 38"H x 22-1/2"D	39"W x 38"H x 22-1/2"D	39"W x 38"H x 23-1/8"D
Viewing Area	21-1/2"H x 36"W (774SQ. IN.)	21-1/2"H x 36"W (774SQ. IN.)	21-1/2"H x 36"W (774SQ. IN.)
Minimum Hearth Area	36"W x 21-1/2"H x 20-1/4"D	36"W x 21-1/2"H x 20-1/4"D	36"W x 21-1/2"H x 20-1/4"D
Blower	Optional	Optional	Optional



# Martin

## HEARTH & HEATING

A Brand of Monessen Hearth Systems Co.  
149 Cleveland Drive, Paris, Kentucky 40361  
[www.martinhearthandheating.com](http://www.martinhearthandheating.com)

Your Martin Dealer:

To avoid personal injury or property damage, the product described by this brochure must be installed, operated and maintained in strict compliance with the instructions packaged with the product and all applicable building or fire codes. Contact local building or fire officials about restrictions and installation inspection requirements. All photographs and drawings on this brochure are for illustrative purposes only and are not intended for, nor should they be used as a substitute for the instructions packaged with the unit. Appearance and specifications of the product are subject to change without notice. © 2008 Monessen Hearth Systems Co.