



Wood Burning Fireplaces

Martin 
HEARTH & HEATING

Wood Burning Fireplaces

The BWB series of wood burning fireplaces from Martin Hearth & Heating offers both radiant and circulating faces in two model sizes: 36 and 42 inches – which offer the largest viewing areas in the industry. With a standard black mesh firescreen and optional doors available in black, Brass or Stainless, the BWB series of wood burning fireplaces from Martin Hearth & Heating are sure to spark some conversation.

The MD36I and MD42I series of radiant wood burning fireplaces offer the look of a masonry fireplace with a 20 inch deep firebox and no visible smoke baffles, at a fraction of the cost. Available in 36 or 42 inch models and complete with refractory brick interior and hearth lip to keep ashes neatly contained, the MD series of wood burning fireplaces has all the features you need to enjoy the dancing flames of a real wood fire.

Capturing the drama of a real wood fire requires the regal presence of a large fireplace. The SB series of wood burning fireplaces from Martin Hearth & Heating offer an impressive range of model sizes: 38, 44 and 50 inch models with large viewing areas. These radiant wood burning fireplaces come with a firebrick interior available in either a standard refractory brick pattern or a Herringbone pattern and offer a tilt up heavy duty grates for easy ash clean up.

Give people a place to gather – make fire the focal point of your room again with a Wood Burning Fireplace from Martin Hearth & Heating.



400BWBA Radiant wood burning fireplace shown with optional Brass bi-fold doors



MD42I Radiant wood burning fireplace shown with optional Brass bi-fold doors



SSTB See-Thru wood burning fireplace shown with standard black bi-fold doors

Designer Series Wood Burning Fireplaces

The Designer wood burning fireplaces from Martin Hearth & Heating take the traditional wood fire to a whole new level. Elegantly styled and available in See-Thru, Corner and Peninsula models, these fireplaces offer an expansive view and exciting design applications. With standard radiant design and refractory brick interiors, these Designer wood burning fireplaces rival their masonry counterparts and provide a sophisticated showcase for the natural beauty of a wood fire.



SB6000 wood burning fireplace shown with standard Herringbone brick design



B36RA Corner wood burning fireplace shown with optional polished bi-fold doors



MPL Peninsula wood burning fireplace shown with optional polished bi-fold doors

STANDARD FEATURES FOR ALL UNITS:

- Fireplace interiors have all refractory brick to provide a realistic masonry look, with steel mesh molded in for durability
- Damper included to help prevent heat loss when fireplace is not in use
- Gas knockouts on both sides of the fireplace for adding gas appliances
- Black fire screens to protect against sparks
- Tilt-up heavy duty grate allows for easy clean up of ashes
- Sturdy nailing flange secures unit during construction

BWB:

- Available in 36" and 42" dedicated radiant or circulating face designs
- Available in insulated or non-insulated dedicated models
- Largest viewing area in the industry with a true 36" and 42" opening
- 21" deep fireplace fits in 24" chase application
- Uses S Series wood burning chimney components

Classic:

- Available in 36" and 42" radiant design with optional field convertibility to circulating
- Insulated model standard
- No visible smoke baffle offers full viewing area
- 20 1/4" deep fireplace fits in 24" chase application
- Uses S Series wood burning chimney components

Biltmore:

- Available in 38," 44" and 50" radiant design Insulated Model standard
- Viewing area SB4800 27" h x 38" w, SB5400 27" h x 44" w, SB6000 30" h x 50" w Inside depth of 22" for SB4800 & SB5400 Inside depth of 24" for SB6000
- No visible smoke baffle gives full opening viewing for true masonry look
- SB4800 and SB5400 available in optional standard or Herringbone refractory brick
- SB6000 available in optional Herringbone refractory brick
- Uses L Series wood burning chimney components

Designer:

- Available in See-Thru, Peninsula and Left and Right Corner radiant designs
- See-Thru shipped with black bi-fold doors standard
- See-Thru and Peninsula use L Series wood burning chimney components
- Left and Right Corner units use S Series wood burning chimney components

Specifications

Model	400BWBA/400WBIA	400BWBCA/400WBICA	500BWBA/500WBIA	500BWBCA/500WBICA
Dimensions (Actual)	40"W x 40-1/2"H x 21"D	40"W x 40-1/2"H x 21"D	46"W x 40-1/2"H x 21"D	46"W x 40-1/2"H x 21"D
Dimensions (Framing)	40-1/2"W x 40-3/4"H x 21-1/2"D	40-1/2"W x 40-3/4"H x 21-1/2"D	46-1/2"W x 40-3/4"H x 21-1/2"D	46-1/2"W x 40-3/4"H x 21-1/2"D
Viewing Area	774 sq. in.	774 sq. in.	903 sq. in.	903 sq. in.
Firebox Dimensions	36"W x 21-1/2"H x 17"D	36"W x 21-1/2"H x 17"D	42"W x 21-1/2"H x 17"D	42"W x 21-1/2"H x 17"D
Radiant or Circulating	Radiant	Circulating	Radiant	Circulating
Design Certified	UL	UL	UL	UL
Model (Classic)	MD36I	MD42I		
Dimensions (Actual)	38"W x 44"H x 25-1/4"D	44"W x 44"H x 25-1/4"D		
Dimensions (Framing)	38-1/2"W x 44-1/4"H x 25-3/4"D	44-1/2"W x 44-1/4"H x 25-3/4"D		
Viewing Area	700 sq. in.	919 sq. in.		
Firebox Dimensions	36"W x 21-7/8"H x 21-3/8"D	42"W x 21-7/8"H x 21-3/8"D		
Radiant or Circulating	Radiant	Radiant		
Design Certified	OMNI	OMNI		
Model (Biltmore)	SB4800/SB4800HB	SB5400/SB5400HB	SB6000	
Dimensions (Actual)	47-1/8"W x 52-7/8"H x 26-3/8"D	53-1/8"W x 52-7/8"H x 26-3/8"D	59"W x 67"H x 28-1/2"D	
Dimensions (Framing)	47-5/8"W x 53-1/8"H x 27-7/8"D	53-5/8"W x 53-1/8"H x 27-7/8"D	60"W x 58"H x 30"D	
Viewing Area	1026 sq. in.	1188 sq. in.	1500 sq. in.	
Firebox Dimensions	38"W x 27"H x 22"D	44"W x 27"H x 22"D	50"W x 30"H x 24"D	
Radiant or Circulating	Radiant	Radiant	Radiant	
Design Certified	UL	UL	OMNI	
Model (Designer)	SSTB	MPL	B36LA/B36RA	
Dimensions (Actual)	42"W x 47"H x 25-1/2"D	38"W x 46"H x 24"D	38"W x 45"H x 23"D	
Dimensions (Framing)	43-1/2"W x 47-1/4"H x 24-1/2"D	38"W x 46-1/4"H x 23"D	38"W x 45-1/4"H x 23-1/2"D	
Firebox Dimensions	38"W x 23-1/4"H x 25-1/2"D	36"W x 23-1/4"H x 22"D	36"W x 22-11/16"H x 22-1/2"D	
Radiant or Circulating	Radiant	Radiant	Radiant	
Design Certified	OMNI	OMNI	UL	

Optional Accessories



Polished Brass bi-fold doors for BWB, MD, SB and for all Designer fireplaces



Stainless Steel bi-fold doors for BWB, MD and SB700 fireplaces



Black bi-fold doors for BWB, MD and SB fireplaces

- Outside air kits
- Two sizes of front hearth bases: 16" x 52" & 20" x 66"



Martin
HEARTH & HEATING

A Brand of Monessen Hearth Systems Co.
149 Cleveland Drive, Paris, Kentucky 40361
www.martinhearthandheating.com

Your Martin Dealer:

To avoid personal injury or property damage, the product described by this brochure must be installed, operated and maintained in strict compliance with the instructions packaged with the product and all applicable building or fire codes. Contact local building or fire officials about restrictions and installation inspection requirements. All photographs and drawings on this brochure are for illustrative purposes only and are not intended for, nor should they be used as a substitute for the instructions packaged with the unit. Appearance and specifications of the product are subject to change without notice. © 2008 Monessen Hearth Systems Co.